Date: 8-27-09	in gi	e est		eg)	¥,	20
Time: 400 AM	70 AV	4	5	2	4	× H
Battery: WILPOTE	" ⇒ <u>@</u> ₂ 9	f's*	(# 			
			81	# #	* 6	
Are there any leaks? (yes/no)	g 43,	* ₂ ×	2	: ::::::::::::::::::::::::::::::::::::	i an	e) 1000
			-	·		
If yes, what time was the leak temporarily sealed?		if.			1 8	en ., k
	8			. •		-
What time and date was it permanently repaired?		5	s	*	se.	
	3					1
If a leak is observed, you must temporarily seal th detection. You must initiate repairs within five (5) 15 days:	e leak wit) days and	hin for comp	ur (4) lete ti	hours he repa	of ir wii	thin
Signature:		*	e ₂ = 1	±20		
Muny	. 13	* 8	£		a ,,	

8 8 8 8	t-		i i		9 E.B
))		* *	* 5 * 5 * 6		
	. S.	e e	1 .	a t	•
		8 ^(N)			** **
CK ==					
	2	2	2	2	2

Date: 8-30-09

Time: 10:15 pm		3881 DA 2000 2.38 S		50	
Battery: WILPUTTE		· ·	780	8.15	
		• "	207		% 120 20 20 20 20 20 20 20 20 20 20 20 20 2
Are there any leaks? (yes/no)	No		-	***	
	V 0		-	-	- · ·
If yes, what time was the leak temporarily s	ealed?	* (4)	e P	8 8 (6) 162	4
What time and date was it permanently repa	ired?		. · 		**************************************
If a leak is observed, you must temporarily detection. You must initiate repairs within 15 days:	seal the leak five (5) days	within for and comp	ir (4) lete th	hours of e repair	within
	•	ε * \$	134	03 #8	es es is

2		, i	1.	2.7	8
Date: 8-27-09	x a			# 18 #	2 8
Time: 10:46P	* * \$ *				*
Battery: WILPUTT ?			for •	, <u>, , , , , , , , , , , , , , , , , , </u>	Y.
		e e	× ×	** 3	
Are there any leaks? (yes/no)	No			* K.,	
If yes, what time was the leak temporarily	y sealed?			No e	
What time and date was it permanently re	paired?	a 0	at 2	8 EM	**************************************
rec s		le			3
If a leak is observed, you must temporari detection. You must initiate repairs within 15 days.	ly seal the lea in five (5) day	k within s and co	four (4 mplete) hours of the repair	r within
Signature: V W				÷	01
					a ₁ , x

Date: 8-28-09	Tag or a	. N	£ .	ong t	8
Time: 10,45P				<u>.</u>	¥ 2 ×
Battery: WILPUTTE			· ·	= 1	-
			•: •:		. 30
Are there any leaks? (yes/no)	No			A. C	
If yes, what time was the leak tempora	urily scaled?			A SE TO SE	
What time and date was it permanently	y repaired?		: ** :		en "
If a leak is observed, you must tempor detection. You must initiate repairs w. 15 days:	arily seal the lea ithin five (5) day	k within for	ur (4) h	ours of	withta
Signature:					ruun
	8			£)	W _{0.1} ×

8-31-BY	a a2 t
Time: 11', 30 p m	
Battery: WILPUTTP	
Are there any leaks? (yes/no)	D
If yes, what time was the leak temporarily scaled	7
What time and date was it permanently repaired?	
360 341(2) - V	8
If a leak is observed, you must temporarily seal to detection. You must initiate repairs within five (15 days:	the leak within four (4) hours of
15 days:	of anys and complete the repair within
Signature:	

Date: 9-1-09	96 CMG			- 6 9	
Time: 11:30P			ā.	<u></u>	X) 22 ×
Battery: WILPHTTY		***	e a	a §	
		*	397	÷ 30	e E
			*	50 2 41	
Are there any leaks? (yes/no)	ND		4:	N ²⁰⁰	
If yes, what time was the leak tempora	rilv sealed?			Zs +	73.1
	any Boulou				
What time and date was it permanently	repaired?	3	at 5	j 79	30 °
6. (6) 5 / II	w.).*			84
If a leak is observed, you must tempor detection. You must initiate repairs with 15 days:	arily seal the lea ithin five (5) day	k within s and con	four (4) nplete th	hours of	. ·
	a		A	с герин ү	vunin
Signature:			3	-	2
	X z		je a		5 o

Date: 9/2/29	THEFT OF CO.			*	R - 81
- Hally-in-	Ye .		g w		
Time: 10pm	· · · · · · · · · · · · · · · · · · ·		120		*i
Battery: Wip Ho		t to		4 4	
			9	= ,	· .
			8	× ×	
Are there any leaks? (yes/no)	sati a grand	* 2		e k	, "
	7		-		\$55(*
If yes, what time was the leak temporarily	sealed?	2 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		(2) (2)	5
				¥03	<u> </u>
What time and date was it permanently rep	aired?	et in	v * 3*	772	Sa Og 11
9.9		3			*
If a leak is observed, you must temporarily detection. You must initiate repairs within	seal the leak y	pithin fou	r (d) ho	Lo nui	
detection. You must initiate repairs within 15 days:	five (5) days a	nd compl	ete the r	us oj epair u	olthin
at a second					12
Signature:			(6)		
· · ·	•	- T		* or	(a) (2004)
	-	* **	*	280 80	- 30

Date: 9-3-09	* a			3	18.
Time:		8 81 6	· •	3	2007 2011
Battery: W:/PotTe		ម្ត (គ)	t ·		
	and the same of th		*		4 g .
	* ** **	¥*:	Rés) n
Are there any leaks? (yes/no)	51 R.	8.74		7.0	
			·		
If yes, what time was the leak tempo	rarily sealed?_	6 1.24	* es		» . 6
	2	5		2 ⁴	
What time and date was it permanent	tly repaired?	. %	* *	t) 998	97.7 N
8 ¥* .			2		
If a leak is observed, you must tempe detection. You must initiate repairs 15 days:	orarily seal the l within five (5) d	leak within lays and co	four (4) mplete th	hours of te repair	within
			6		
Signature:	3		*:ac 2 a	ii.	
rigilature.		S# 2	The say	7	20

Date: 9-6-09		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 9	8 9
Time: 10:50P			50 5 1.60	W S W
Battery: WILPUTTE		- 	2 3	it The ga
	\$: ###	•	18	2 0
Are there any leaks? (yes/no) N	D	, a	* ************************************	
If yes, what time was the leak temporarily sealed?	: :: :: : : : : : : : : : : : : : : : :		1	# #:
What time and date was it permanently repaired?_	*	# 10 28 22	5. Est	
x x x x x x x x x x x x x x x x x x x	×			
If a leak is observed, you must temporarily seal the detection. You must initiate repairs within five (5)	e leak with days and d	in four (4) complete ti	hours of he repair	within
Signature: V Dun		* * * * *	*:	
				i g ng

Date: 9:5-09	5 66		2.5	- 19 <u>4</u>	9
Time: 10 P				<u>p</u>	* *
Battery: willotte		, m	∯es oc trec i	. 5	
	2) 2)	** *	88.	, a	1. 10
	* - * *	3	85	90	
Are there any leaks? (yes/no)	18				
				·	
If yes, what time was the leak tempora	rily gealed?	8	1 5		89
	and sourced!				
What time and date was it permanently	repaired?	3 4			ates in a
		2	•		ŝ
If a leak is observed, you must tempor detection. You must initiate repairs will 15 days:	arily seal the le ithin five (5) da	ak within ys and cor	four (4) nplete th	hours of	
# # # # # # # # # # # # # # # # # # #			ti i	e repuir (vunin _{, 0}
Signaturė:	, v		·***		
		. 3		* 8	in se

Date: 9-4-09	ž e	થી ક		19	ă j
Time: 10P) . 1	6 81 mg	దోజ త	5 3	59 596554
Battery: Willott		# 1280	her .		
		a a Tag			
	2 m 2	7"	35	** .	
Are there any leaks? (yes/no)		**)		* 5.4	2 4
If yes, what time was the leak tempora	arilir aril 10	7	7 1	* * * * * * * * * * * * * * * * * * *	
tompore	arry seated?				
What time and date was it permanently	y repaired?		5 8 B	1 8 23	• • •
ne :					
If a leak is observed, you must tempor detection. You must initiate repairs will be days:	arily seal the le ithin five (5) da	ak within ys and cor	four (4) nplete th	hours of	withia
8			5)		Tr seitelle
Signature:	ž W		*®,* ;		
				SF .	San San

Date: 09/08/09			. **	55 pt
Time: 11:45 Pm	i tr		365	o s
Battery: Wilputte		r- •	%-	
	. 4"		e 	
Are there any leaks? (yes/no)	3 * .			, a
			-	#(D)
If yes, what time was the leak temporarily scaled?	8 2 14			47 94 94
	**		¥3	
What time and date was it permanently repaired?		* .	* *	H. (1)
365	5			
If a leak is observed, you must temporarily seal the leadetection. You must initiate repairs within five (5) do 15 days. Signature:	eak with ays and	in four (complete	(4) hours the rep	s of air within
ывпаше. С	85 *	- 1	•	# (*) #

Date: 09/09/09	Y 80				* #
Time: 10:55 Pm	1 3 3 . 14		2 42	*	g. 14174
Battery: Wilputte		g e	r .	21.5	u.
		** *** ** **	# # 8		
	in the state of	4	8		* 4 = 8
Are there any leaks? (yes/no)	100			8 8 200	ie.
		•			8.0
If yes, what time was the leak temporar	ily sealed?			Pa E	9.00
		8		, ·	
What time and date was it permanently	repaired?	1007	a ³ 8		
		3	1-11-2-1		
If a leak is observed, you must tempora detection. You must initiate repairs wit 15 days:	rily seal the	leak within	four (4)	hours of	
15 days:	thin five (5)	days and co	mplete th	e repair	within
8,1			V		5.0
Signature: (1608)	20		field g		
CHEDISEA.		3	* \$ 16°2	ж.,	:0 (€)
925 T 25 T	3			21	9 618

Date: 09/10/05	t s					** <u>*</u>
Time: 12:30Am			, w		e N	e e e
Battery: Wilputte		**	for a	266	9 3	
	1	#		15	· a	* · · · · · · · · · · · · · · · · · · ·
	· - , !,	n *		*:		
Are there any leaks? (yes/no)	0	* * 6	2.0		* ***	
		**				
If yes, what time was the leak temporaril	y sealed?	2 3*8	5	(40 5)		a*
What time and date was it permanently re	paired?	*			1 ye	
			•			**
If a leak is observed, you must temporari detection. You must initiate repairs with 15 days.	ily seal the led in five (5) day	ak within ys and co	four mple	(4) I te th	tours of e repair	within -
6 x	9		90,			
Signature: Almsen			81	e i Ng	* ,	
y a section	2 7					H 10

Date: 9-13-59	* 7	i gi	4	 	16	3 163
Time: 10P		8	5a .		**	35.1
Battery: Wilfort	* K . *	# ## ## #2. #1	· ·	9		85
	e e e e e e e e e e e e e e e e e e e	* * ₂	55	∯ kg ∵ 14	· .	*. *.
	\$ 20 mg	* \$0		347	× a	
Are there any leaks? (yes/no)	7 1.	# 5 To			7 (4 2 2	120 14-8
	*			-		- Fg.
If yes, what time was the leak tempora	rily scaled?_		86	. 8	(10) at	9
What time and date		686			a 7/	<u> </u>
What time and date was it permanently	repaired?_		*		. 1600	8 (933) 10
e c ne e e		40				1001
If a leak is observed, you must tempor detection. You must initiate repairs will 15 days:	arily seal the	leak with	ln four	(4) h	ours of	
15 days:	min Jive (3)	days and o	comple	te the	repair v	vithin
a: uR			٠.	ā .		
Signature: Medium		, to	ē ;	: :_	##	12
			8	3	*	ಡ್ಡ ಕೆ.೫

	ac a	. F	32	
Date: 09/12/09			a 118 ac	20
Time: 3:15 Am	· ·			6
	· g ·	.	(8)	≆ ₩
Battery: Wilpuths	2.7	\$00 m	g 8	
		el 2012 (1	*	
	1, 3*	120	*	a w
Are there any leaks? (yes/no)	t *mi	(4) (4)	* ******	4
If yes, what time was the leak temporarily scaled?	188			
, in a state of				- 10 ⁻⁰ /
What time and date was it permanently repaired?		_n (4) * .#	. 18	100
a .		•		(4)
If a leak is observed, you must temporarily seal the detection. You must initiate repairs within five (5) 15 days:	E leak withi	n four (4)	hours of	
15 days:	days and c	omplete tl	ie repair	within
		.2.	9	21.50
Signature: Office		* 2 2 3		
signature: 4603EV	(*)°		38 09	.8. 60
	DC		i	8, 85

Date: 09/11/09	2 2			* ×
Time: 1:45 Am			8	, v
Battery: Wilputte	, N	Ver 4	9.13	
	# a ₂	fleo. Re	22 SA	4
And this way to be a second of the second of	a ye e a u u s	#I	201	
Are there any leaks? (yes/no)		9 -		87
If yes, what time was the leak temporarily sealed?	× 100	· •	*	2
What time and date was it permanently repaired?_		E 5		
381 381020 a)	9			
If a leak is observed, you must temporarily seal th detection. You must initiate repairs within five (5) 15 days.	e leak withir days and co	i four (4) Implete ti	hours of he repair	within
		80 300_ 0		
Signature: 460BEA			** (34)	u u _{ke} e

Date: 9-14-09	942 E	ifir		1341	* e
Time:			** * **	æ æ	ill Ne jir
Battery: W: 1Pore		* "		e g	•
	3	* * * * * * * * * * * * * * * * * * *			**
Are there any leaks? (yestino)		e tha		5 . 2 . 4	e f
If yes, what time was the leak tempor	arily scaled?				
What time and date was it permanently	y repaired?	3 5 2			7. 7.19
			0.1		7.50
If a leak is observed, you must tempo detection. You must initiate repairs with 15 days:	rarily seal the l vithin five (5) d	eak within ays and cor	four (4) inplete th	hours of e repair	within
Signaturė: Raya				. 6	

Date: 9:15-09		17.171		fi	tis	
	TE TO	2 250	380 E	**	9	12
Time: 10f	T		S. X	::*		****** **
Battery: W:1Port		10 ²³	f., .		w r	
				** (# (#		
	(4) W	7*				
Are there any leaks? (yeshio)		, P. P	e ^{ri}		* 7 *****	20 T
If yes, what time was the leak tempora	*					
was the real track tempore	arily sealed?	a a a			· · ·	
What time and date was it permanently	y repaired?	. 8		2 6 2	3	4
and	ži.	W. C*				
If a leak is observed, you must tempor detection. You must initiate repairs w	rarily seal the l	eak within	four	(4) ho	urs of	
15 days:	emen jiye (3) a	ays and co	mplei	e the r	epair H	vithin ·
Signature:	E 5		* . m	F 30		3
				ec w		N To

	" "		and the	***	
Date: 9-16-09	Ē s		100	. 18	8 .00
	2 20	2		i i	
Time: 10P	# # # # # # # # # # # # # # # # # # #	100	1 5	(3)	900
19/		. 4 8		2	26
Battery: William	n		f		
Salloy. Willotte		10	24	3	
2		. DE			
		1)			
	100	**		ă ș	F 100
A-noth	55 N 8	, 2 ₀	-	* 6	* *
Are there any leaks? (yes/no)			ÇX.		165
		· ·			
Tf	W _	25	0.50 %	7	
If yes, what time was the leak tempo	rarily scaled?				*
		0.0			. 20
Whate	5 5 5			8 .	
What time and date was it permanen	tly repaired?	76	ā	18 12 14 1	200
m 20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				W	
9		27			7.4
76 - 1 - 1	1 2				
If a leak is observed, you must tempo detection. You must initiate repairs	orarily seal the le	ak within		1020 EL 21	
15 described. You must initiate repairs	within five (5) do	ine and co	Jour (4)	hours of	l _{an} g
detection. You must initiate repairs 15 days.	3 - 10/ 110	yo ana co	mplete t	re repair	within .
			3		
Signature:	- 10°		8 g an .		
Signature: 11 all BA	EU	IC.	44 -	SI	29
		74	***	¥	a, a.,

Date: 9-19-09	3 8		1 4	300	* .
Time: 10f		*, # ; ** * * ;	et je et	*	# 3 1
Battery: W: 1PotTe		× · · · · ·	8	ac §	
				(SE)	
	, m , #	1		× , ;	n al
Are there any leaks? (yes/16)		* * .		* **	
			,		
If yes, what time was the leak temporaril	y sealed?	# = 3			1)
		8			
What time and date was it permanently re	epaired?		a * 	E 68	*
8		58			
If a leak is observed, you must temporare detection. You must initiate repairs with 15 days:	ily seal the led in five (5) day	th within fo os and com	our (4) polete th	hours of e repair 1	vithin
Signature: Man	Y				20
	-		8.		

Date: 92009			10) ×		795
Time: 406 AM				:40	3
Battery: WILLYTTE		. F	8	X X	×
			ă 3	и <u>в</u>	**************************************
Are there any leaks? (yes/no)	0		0.00		. 8
If yes, what time was the leak temporarily so	ealed?		. 1	e 2	
What time and date was it permanently repai	ired?		,	3 8 3 3	
If a leak is observed, you must temporarily s detection. You must initiate repairs within t	seal the leak	within fo	ur (d) h	Attun of	
detection. You must initiate repairs within f	five (5) days	and comp	lete the	repair i	within
Signature:		* ;			·
	4	20			

Time: 400 AM			te .	E+17	(C)
Battery: WILFUTT		(8)000 As	∯ • *	# 2 P	% ****
Are there any leaks? (yes/no)	in the	£*	2		
	NO			*	
If yes, what time was the leak tempora	rily sealed?	***			16 3
What time and date was it permanently	repaired?				
If a leak is observed, you must tempore detection. You must initiate repairs wi	arily seal the lea othin five (5) day	k within j	four (4) uplete th	hours of e repair	within
Signature:		isē.		7 ;	

Date: 9-21-09					٠.
Time: 460 AM		o a a	@:	;Ř	R secil
Battery: WILPUTE		, × 1×	* * *	* 14 * *	
					¥.
Are there any leaks? (yes/no)	0			i ener	
If yes, what time was the leak temporaril	y sealed?		a 5 ∞ g ×	8 8	
What time and date was it permanently re	ppaired?	*)	(a) (a) (b)	3 th	·, §
	8				
If a leak is observed, you must temporari detection. You must initiate repairs with 15 days:	ily seal the leak wi in five (5) days an	ithin four d comple	(4) hou te the re	rs of pair w	ithin
Signature:	9 8	* 4	, f .e	-	27
Lemps		* :	¥.	* . *	, i

	2397. 559.		2 2	50	,
Date: 9-2/-09	70 200S			***	
Tíme:	- y	* * * *	aig ex	.00	Į.
	18.8.8	(a 020 - 19	Day :	(8))	8 =
Battery: WILPUTTE	#		SI,	× 1,	x.
	i.	1 8,	28	⁽²⁾ φ	30 to 1
	10 N		(80)	* .	
Are there any leaks? (yes/no)	NO.	t the	5	* **	, (
		-	•		10/3 ₀
If yes, what time was the leak tempora	arily scaled?	n.	*		*
	k	S. S			
What time and date was it permanently	y repaired?	#. 	#6 5859 #6 5859	(# 28 - 95	*\$) (200
9 .					, i
If a leak is observed, you must tempor detection. You must initiate repairs w. 15 days:	arily seal the l	eak within)	four (4) H	ours of	
15 days:	inin five (5) d	ays and con	plete the	repair n	vithin
()			a X . o		
Signature: Serim	(8)	. 9			9
		F 7	ೆ ಬ್ಲ		

Date: 9-23-09	Terre Sign Sign	2 L ²		15	* *
Time: 400 AM			e ***	*	8 8 =
Battery: WILPUTE		, *	# # # # # # # # # # # # # # # # # # #	* 5	*
Are there any leaks? (yes/no)	סע	: 180 : 28		* * * * * * * * * * * * * * * * * * *	. 18 . 18
If yes, what time was the leak temporarily	y scaled?		:	10 PS	
What time and date was it permanently re	paired?	to so		. v.	3(), (2)
		R			.*
If a leak is observed, you must temporari detection. You must initiate repairs within 15 days:	ly seal the leak in five (5) days	within for and comp	ur (4) h lete the	ours of repair v	vithin
Signature: Navleryn	385 e	* 3 * 3	eë s e e e e	e .	i ne Si

A CONTRACTOR OF THE CONTRACTOR		4 K		
Date: 9.23-09	* **		***	38.1
	121	a series	ł	
Time: 10pm	4		9.53	(920)
	ž	8	3	8 -
Battery: W. IPsite		f		
		8 4.	+ 1	8
		×	4 4	i in e
			₩.	
	*** 5 **			56
Are there any leaks? (yes/no)	8 P. 7		* *	2.5
(303/110) 700		*3	g 313h	
	365			
If yes, what time was the leak temporarily scaled	197	381	. w	
tour temporarily scaled	?			**
What time and date was it permanently repaired?	19	880		34
r-matterity repaired?			.e. (60.e.	***
	- 25			
A second				
If a leak is observed, you must temporarily seal to detection. You must initiate repairs within five (
detection. You must initiate repairs within five (ie leak withi	n four (4)	hours of	
detection. You must initiate repairs within five (5) aays and c	omplete th	te repair i	within
		8	80 0	costs growing /
Ciameter		* e. 2 · e		
Signature:	4	68	2	4
	8 x	8 335	- 3	·

	Se 35 m		ž v *	5 8	E.
Date: 9-27-09	v 2	24	- E - R	***	
	2: 10		* * *	020	
Time: 10:55P	3. X)*		2 10
Battery: WILPUTTE		- A - A - A - A - A - A - A - A - A - A	±0 ≫		
Duttory. WICPUTTE		x	- 9	e **2	
	*		17	- ×	fine a
	· · · · · · · · · · · · · · · · · · ·		2		
	* " 1	**************************************	180		. «
Are there any leaks? (yes/no)	NO	* 18	,	* 7-5	
If yes, what time was the leak temporar	.j	20	§ a	4 a Ja	
tate was the leak temporar	rily sealed?			2 2	
	er	F	(0)	, •	
What time and date was it permanently	repaired?	, e a		,	m ().
	•	105	·		
ara g		Ð			
If a leak is observed, you must tempora detection. You must initiate repairs wit	endles mant et is	- without .			
detection. You must initiate repairs wit	ruy seat the let hin five (5) do.	ik within f	our (4) 1	iours of	
15 days:	(3) 44	s ana com	plete the	e repair n	vithin
			8		
Signature:	E.		2 30 3		14
	-		i i i	9 IX	9
			5) 28	F.	, (), ()

Date: 9-26-09

Time: 11.05 P			ļ	(T).	# % ×
Battery: WILPUTT &		ş e	£ 6		
	1	2 0		¥	16
	= N1 × ×	1 2	*		
Are there any leaks? (yes/no)	* *.	No	e [#]		·
		4 ⁼			
If yes, what time was the leak tempora	rily sealed?_	* *		8 K 188	0.00
	ě.	95		. 12	
What time and date was it permanently	repaired?_			* **	
* 9		10)			
If a leak is observed, you must tempore detection. You must initiate repairs with 15 days:	arily seal the ithin five (5)	leak withir days and co	t four (4) Implete t	hours of he repair	within
Signature:			* * (4)	×	o
3 77 31			H A Face	₩. ≨	

Date: 9-25,09	Take II g	***	Alike s	. 16	× ,
Time: 12:15 AL		T of a		100 10 10	3 2 I
Battery: WilpuTTe		12 E	(m)	5	% *** .
				÷ .	
Are there any leaks? (yes/no)	ND		-a	18	3
If yes, what time was the leak temporari	ly scaled?		Í	i e e	
What time and date was it permanently r	epaired?			200 200 200 200 200 200 200 200 200 200	Sec. 19
		74	•		16
If a leak is observed, you must temporar detection. You must initiate repairs with	ily seal the lea	k within	four (4) hours of	,
detection. You must initiate repairs with	in five (5) day	s and co	mplete i	the repair	within
Signature: U W	a a			**	2
2 OF 1	Fig.	90	-		.0

Det			3.2	e	-	
Date: 9-24-09	* 1		in in			il.
Time: 10:38Pm		1,00		•	e .	ti i
		ar e		ŧ	8.7	
Battery: WILPUTTY		**	K		v 0,	
		25		toa V	280	
		(6) I*.		-9	8 8	
	5 1 00	* ***		e .		
Are there any leaks? (yes/no)	1)	D		3.9		22 1
					0,60%	
If yes, what time was the last	X	×	10	. S	·	
If yes, what time was the leak temporar	ily sealed?			#		145
	5	85		Tark		—,
What time and date was it permanently	repaired?	, X	9	, ji	5.0	Design 1
	_					
4.9	22					6.
If a leak is observed, you must temporal detection. You must initiate repairs with	rily seal the	lant in	n 2			
detection. You must initiate repairs with 15 days:	hin five (5)	teuk withi days and c	n four (4) hours	of	2
		THE C	ompreje	the repa	tir with	in ·
	- 6			K a		9
Signature:	9		F .		ě	30
		53	- 1	·*	* * *.	20
			8.0	29		

Date: 9-28-09.

		. 81		
Time: 12'20 Am	30 mm	9	t e	2 2 2
Battery: Wilnutt's	i fe	*		
part !	F *	40	e 13.	·.
		40		.090
		k.	- N	. 9
Are there any leaks? (yes/no)	0	2.5	7 10	
		-	532 20 al	-,-
If yes, what time was the leak temporarily sealed?	· · · · · · · · · · · · · · · · · · ·) (6) (6)	9
	35		7.	
What time and date was it permanently repaired?	, (%) x	•	A7 (1)	18
	91			
If a leak is observed, you must temporarily seal the le detection. You must initiate repairs within five (5) de	eak within fo	ur-(d) h	Oting of	
detection. You must initiate repairs within five (5) do 15 days:	iys and comp	lete the	repair 1	vithii
		e e _e e e		
Signature:	. · · · · · · · · · · · · · · · · · · ·	.5 *1	99 38 .oz	6 0
		100		8 9. :

1 1 0	980	pr 80	28 ST	160	*
Date: 09/39/09	3 a	-			
*	3 . 5	N 81	*	*	8
Time: 10:05 PM	· 5.		*	*	. 4
Battery: Wiputte	* ***	jan 1	en (6)		
Battery. Wiputte		SA.	ě .	- 5	
* *** ***	1 .		*	25 29	100
		159	0		
	A	2.	02		- X
Are there any leaks? (yes/no)	100	3 m	9	2 100	
	NO				* *
There was the same of the same		8.	a (5)		
If yes, what time was the leak tempora	rily sealed?		* *		22
	e			7.	
What time and date was it permanently	,		e ⁹⁸	Y	· .
i a pominionity	repaired?		17		***
2 2		27			
The Last to the	5				
If a leak is observed, you must tempor detection. You must initiate repairs w	arily seal the lea	k within i	Cour (A)	daring of	
detection. You must initiate repairs will 15 days:	ithin five (5) day	s and con	plete the	vurs oj Prepaira	1984Yo 322
8		ï	78	- Срин ү	runin
			* . 16 .		
Signature:		ž	.s	1100	77
· · · · · · · · · · · · · · · · · · ·		9	-	* *	
	(M)		F (5)		

Date: 09/30/09	8 4			W 6 8
Time: 1:15 Am	, , , , , , , , , , , , , , , , , , ,	e në G t	8. (15) (16)	V SAN SAN
Battery: Wilputtle		fer v	* 3,	50 3 8 6
		*		
Are there any leaks? (yes/no)	1 - 1.		* 5	. *
			- 8 Î	·
If yes, what time was the leak temporarily sealed?				×
What time and date was it permanently repaired?			e and	
		•		•
If a leak is observed, you must temporarily seal the detection. You must initiate repairs within five (5, 15 days:	e leak withi days and c	n four (4) omplete t	hours of he repair v	vithin
Signature: America			* (20) \$	* **

Date: 10/01/09				e 14 <u>₹</u>	2 %
Time: 12:15 Am Battery: 6)i/putty	· · · · · · · · · · · · · · · · · · ·	*. **		ē T	* 3600
Battery: Wilputte		y a	* 5		٠
	2 0		×	* 8	r n 4 g
Are there any leaks? (yes/no)	M	. · · · .	28	* 800	(60
		¥ ==		•	
If yes, what time was the leak tempor	rarily scaled?	. *		9 m m 990 8	
What time and date was it permanent	ly repaired?_				1.
If a leak is observed, you must tempo detection. You must initiate repairs to 15 days:	rarily seal the vithin five (5)	leak within days and co	t four (4) Implete ti	hours oj ie repair	f Within •
Signature: Joseph	19 39 30	9			W
		91		6	*

Date: 8-19-09	R E		5 m		~ 5
Time:			e de la companya de l	te E	\$ \$ *
Battery: willow	1		e,	:= I	
		a_ **	;(*); *2	* .	
Are there any leaks? (yes/66)	8 30 2	or st. N	27	W.	19
		-,-			800
If yes, what time was the leak tempora	rily sealed?	80 20	e	10 E	
What time and date was it permanently	repaired?		5e 8	V	90.0
			,		
If a leak is observed, you must tempordetection. You must initiate repairs will be days:	arily seal the led ithin five (5) day	ik within s and co	four (4) mplete ti	hours of he repair	within
Signature: Mile Ba		a (54 SV

Date: 8-18-09	± 7@	· F	**************************************	77	5.
Time: 10P					¥3 (2 ×
Battery: W.1PJTe		* (*)	F .	a	Ş
			(6)	1 34 M	
Are there any leaks? (yes/66)	8 %	F 88.	. 4	(** • • •	
	***	я			- ::
If yes, what time was the leak tempora	rily sealed?	*	* *	Å 3 . *	
	and politody_			-	
What time and date was it permanently	y repaired?	% 		. 23	anar a
active or					0.
If a leak is observed, you must tempor detection. You must initiate repairs w. 15 days: Signature: Michael Den	arily seal the ithin five (5) a	leak within lays and co	t four (4) Omplete th	hours of ie repair	within
Tirtuel De		3	fil w.	92 23	R)

Date: 10-9-09	# +c	70 100 - 100 ²	-4	
Time: 109		x 18	<i>x</i>	36 0
Battery: Willotte		, ,	20.8	a I
	1	y ×	12 Tay	· .
		٠	* * * *	× 30
Are there any leaks? (yes/no)		*.	8 e	a e
If yes, what time was the leak temporari	ily sealed?_		1 . Le	in .
	* *	,		
What time and date was it permanently	repaired?	S × ×	X X 50.90	
			-	1
If a leak is observed, you must temporal detection. You must initiate repairs with 15 days:	rily seal the leak H	oithin four (1) hours of	. (
15 days:	am five (3) aays a	nd complete	the repair w	ithin
1		32 		
Signature:	200 190		532 (1997)	
6	-		g	

Date: An Kond		. · · · · .	8 ²²	* \(\frac{1}{4} \)	O
Date: 10/02/05	9	a as			
Time: 10:45 Pm	* *	981		19	d
Battery: Wilputte	· · · · · ·	. 1	ž.		53/5/
EVILPHITE.		(8)	8 8	Y 5,	
	4 .		7	9	
	$\hat{y} = 1^{-\alpha}, 1^{\alpha}$		* * * * * * * * * * * * * * * * * * *		3
Are there any leaks? (yes/no)	50	· .			e ⁸ Nav
				*	(4.75 (1.75)
If yes, what time was the leak temporarily s	sealed?		. A:		
		A			ST .
What time and date was it permanently repa	ired?	# ×	к ^в • •		
If a leak is observed, you must temporarily detection. You must initiate repairs within	seal the leak s	oithin torr		W 1	
detection. You must initiate repairs within 15 days.	five (5) days a	nd compl	t (4) hou	erginan	i iar. e
			/*	epuir w	unin
	22	*	e 3 o		
Signature: Gone	.st	8 g	2) 21	35	8
			;÷	10	o _n v s

Date: 10/03/09	9 e				
Time: 11:00 Pm	3- 5	901		¥	
Battery: Wilputke			ā*	41	## /5
			8 E		% ⊗ ₽
			8		÷.
Are there any leaks? (yes/no)	NO	200 100 100 100 100 100 100 100 100 100		E 8	
			-		
If yes, what time was the leak temporar	rily sealed?		. ,	8 x (2)*	(*)
		1)			- "
What time and date was it permanently	repaired?	6 %	a	E 2007	
		789			
If a leak is observed, you must tempore detection. You must initiate repairs wi	arily seal the leak	within fo	ur.(d)	havin' a	
detection. You must initiate repairs wi	thin five (5) days (and comp	plete th	rours of e repair v	vithin
	380		· ·		
Signature: 460BEA		× §	*	а.	3
	ě a	×			9, 2

Date: 10-5-09.	
Time:	
Battery: W:19st72	*** **********************************
Are there any leaks? (yestho)	
If yes, what time was the leak temporarily sealed?	
What time and date was it permanently repaired?	
If a leak is observed, you must temporarily seal the lead detection. You must initiate repairs within five (5) day 15 days:	ak within four (4) hours of within
Signature:	Two II w

Date: 10-6-09	×	***		i#	7.0	8 8
Time: In P	1 3	es as	a esi Ta			2
Battery: willotte		12 AS AS AS	(-		e R S	er in
	3			* *	S #	
	100	7		¥		e m t
Are there any leaks? (yes/no)	* *,	# 8 MM -	, A	5		14
		3	**		*	
If yes, what time was the leak tempor	arily scaled?_	39 (20) *	- 81 - 81	*	(4: (4:	162
		9 "				
What time and date was it permanently	y repaired?	70	*		(#)#()	2005
* * *		20 93).5			
If a leak is observed, you must tempo detection. You must initiate repairs n 15 days:	rarily seal the within five (5) (leak withi days and c	n fou omple	r (4) h ste the	ours of repair	within
* 4			(6)			

DM 77 478

Date: 10/07/09	- I		i e	1800 m. 1800 m. 1800 m.	* 3
Time: 9:45 Pm		T. 8- L.	8	*) - 19
Battery: Wilputte		(m)	· 20	36 <u>5</u>	
	. 1		w =	8 160	* .
Are there any leaks? (yes/no)		i.	, X , L		. *
and after o imy loaks? (yes/no)	NO.			242 ^(*0)	**
If yes, what time was the leak temp	orarily scaled?	× × ×	9		a .
What time and date was it permaner	ntly repaired?	30 .	. *	v	
		10			-
If a leak is observed, you must temp detection. You must initiate repairs 15 days:	porarily seal the le s within five (5) da	ak within fo ys and comp	ur (4) I lete the	ours of repair 1	vithin
Signature: AGONA		, 	i Se f e		